

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	8	(370/318,317,395.4.ccls. 455/522,67.11,13.4,453,500,501,513,127.1.ccls.) and ((measur\$3 with (SNR SIR SINR "signal to noise" "signal to interference")) same (data adj2 rate)) and (optim\$7 near2 power) and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 17:35
S1	1	10/525696	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 14:11
S2	7	((RENE) near2 (CRUZ)).INV.	USPAT; USOCR	OR	ON	2008/09/03 14:34
S3	76	(370/318,317,395.4.ccls. 455/522,67.11,13.4,500,501,513,127.1.ccls.) and ((measur \$3 with (SNR SIR SINR "signal to noise" "signal to interference")) same (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 16:38
S4	52	S3 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 16:38

S5	500	((measur\$3 with (SNR SIR SINR "signal to noise" "signal to interference")) same (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 16:39
S6	125	((measur\$3 with SINR) same (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 16:58
S7	37	S6 and node and link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 16:58
S8	7	S7 and max\$5 near2 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 16:59
S9	3	S8 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 17:00
S10	41	S6 and max\$5 near2 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 17:01

S11	3	S6 and (max\$5 near2 power) with link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 17:02
S12	2	S11 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 17:02
S13	316	(S1NR with (data adj2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:23
S14	130	S13 same link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:23
S15	116	S14 and channel with (parameter character\$7 condition\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:26
S16	68	S15 and (power with (utiliz\$5 maxim\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:29

S17	0	S16 and schedul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:31
S18	51	S16 and schedul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:31
S19	22	S18 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:31
S20	32	S15 and (power with (utiliz\$5 maxim\$6) with link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:19
S21	24	S20 and schedul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:19
S22	15	S21 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:19

S23	15	S22 and (maxim\$6 utiliz\$6) with throughput	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 15:21
S24	2	"6229795".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 16:15
S25	17	(ad\$hoc (ad adj hoc)) and (link with (duty adj cycle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 12:14
S26	10	S25 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 12:14
S27	5	("20020051425", "20020193133", "20030202491", "20030204615", "20030157900").pn.	US-PGPUB	OR	ON	2008/09/05 12:25
S28	2	"20040095907".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 13:08

S29	13	(ad\$hoc (ad adj hoc)) and (link with vector with transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 14:46
S30	7	S29 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 14:46
S31	0	(ad\$hoc (ad adj hoc)) and (dimention\$4 with vector with transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 14:49
S32	27	(ad\$hoc (ad adj hoc)) and (dimention\$4 with vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 14:49
S33	27	S32 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 14:49
S34	0	S33 and transmission with number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 14:53

S35	128	(ad\$hoc (ad adj hoc) multi\$hop (multi adj hop)) and (linear adj2 program\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 15:30
S36	26	S35 and ((power energy) with (maxim\$4 minim\$4 optimiz \$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 15:35
S37	12	S36 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 15:36
S38	22	convex with duality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 16:14
S39	4	(ad\$hoc (ad adj hoc) multi\$hop (multi adj hop)) and (convex with duality)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 16:14
S40	3	S39 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 16:15

S41	12	S38 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 16:18
S42	3781	(ad\$hoc (ad adj hoc) multi\$hop (multi adj hop)) and ((power energy) with (maxim\$4 minim\$4 optimiz\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 16:51
S43	12	S42 and (hirarchal hierarchical) same (cluster with link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 16:54
S44	10	S43 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 16:55
S45	1037	network same (matrix with rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 17:58
S46	193	S45 and matrix with (initial near S27 rout\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:04



S47	50	S46 and (data near2 rate) with link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:05
S48	3	S47 and (shortest near3 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:09
S49	41	S47 and ((power energy) with (reduc\$3 maxim\$4 minim\$4 optimiz\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:12
S50	1	S49 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:13
S51	6	S47 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:37
S52	16	network and ((data near2 rate) with link with matrix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:57

S53	28	((data near2 rate) with link with matrix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:58
S54	23	S53 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:58
S55	1	S54 and routing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:58
S56	13	S54 and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 18:59
S57	1	S54 and (shortest near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/05 19:00
S58	3781	(ad\$hoc (ad adj hoc) multi\$hop (multi adj hop)) and ((power energy) with (maxim\$4 minim\$4 optimiz\$7))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:11

S59	418	S58 and (load\$3 near2 balanc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:12
S60	8	S58 and (load\$3 near2 balanc\$3) with power with link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:12
S61	4	S60 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:14
S62	210	S58 and (shortest near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:22
S63	50	S62 and ((data adj2 rate) with link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:23
S64	27	S63 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:24

S65	12	S64 and ((data adj2 rate) near5 (chang\$3 reduc\$3 increas\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:35
S66	9	S64 and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:50
S67	7	S65 and matrix	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:52
S68	2	S65 and (matrix with rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 12:59
S69	11	((ad near2 hoc) (multi near2 hop)) and (matrix same rout\$3 same ((information data) near2 rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:10
S70	4	S69 and (@ad<="20020905" @rlad<="20020905")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:10

S71	9	S59 and 455/453.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:40
S72	54	((370/318,317,395.4.ccls. 455/522,67.11,13.4,453,500,501,513,127.1.ccls.) and ((measur\$3 with (SNR SIR SINR "signal to noise" "signal to interference")) same (data adj2 rate)) and (@ad<="20020905" @rlad<="20020905"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:41

4/ 3/ 2009 5:37:22 PM

C:\Documents and Settings\akasaian\My Documents\EAST\Workspaces\10525696\_Scheduling\_02.wsp